

Kefren

Bathroom doors

Bathroom door hardware



Wall hinge - glass




L-2121

SUPPORTS
45 KGS

FINISH
BRILLIANT(CP)
SATIN (BN)

FINISH
BLACK



**BRONCE
NIQUELADO**
ALTA CALIDAD
**10 AÑOS
DE GARANTÍA**

Glass-glass hinge 180°




L-2123

SUPPORTS
45 KGS

FINISH
BRILLIANT(CP)
SATIN (BN)

FINISH
BLACK



Glass hinge - glass 135°




L-2124

SUPPORTS
45 KGS

FINISH
BRILLIANT(CP)
SATIN (BN)

FINISH
BLACK



Glass-glass hinge 90°




L-2125

SUPPORTS
45 KGS


FINISH
BRILLIANT(CP)
SATIN (BN)

FINISH
BLACK




**BRONCE
NIQUELADO**
ALTA CALIDAD
**10 AÑOS
DE GARANTÍA**

Glass-wall connector




L-2541

Glass-glass connector 180°




L-2544

Glass-glass connector 90°



L-2545

Glass-glass connector 135°




L-2546

Bathroom door button



L-2803

Double shower door hinge




L-2128-CP

Button for sliding doors



L-2803A


Glass-glass connector



L-2637

**BRONCE
NIQUELADO**
ALTA CALIDAD
**10 AÑOS
DE GARANTÍA**

Shower wall hinge - glass




L-2725421-CP

Adjustable bathroom hinges

•Ideal for when the door does not meet a standard angle • Allows adjustment up to 90 degrees from the standard closing position •Allen-type adjustment screws for easy installation

FINISH
BRILLIANT (CP)




Glass shower hinge - glass at 135°



L-2725424-CP

Glass-to-glass shower hinge at 180°



L-4223-CP

Glass-to-glass shower hinge at 90°



L-4225-CP



2 a 3
AÑOS
TIEMPO DE VIDA ÚTIL

LÍNEA ECONÓMICA
HARDWARE OF
ZINC ALLOY ZAMAK

Single hinge



FINISH
BRILLIANT(CP)
SATIN (BN)






SA-001

180° hinge



FINISH
BRILLIANT(CP)
SATIN (BN)





SA-002

135° Hinge



FINISH
BRILLIANT(CP)
SATIN (BN)





SA-003

90° hinge



FINISH
BRILLIANT(CP)
SATIN (BN)



SA-004

LÍNEA
ECONÓMICA
HARDWARE OF
ZINC ALLOY ZAMAK


2 a 3
AÑOS

TIEMPO DE VIDA ÚTIL


Glass-wall connector




Glass-glass connector 180°



Glass-glass connector 90°



Glass-glass connector 135°



Double shower button



Single shower button



Kefren

Bathroom doors

Bathroom door hardware




**BRONCE
NIQUELADO**
ALTA CALIDAD
10 AÑOS
DE GARANTÍA

Tension bar / glass - wall




Tension bar / glass - glass



FINISH

BRILLIANT(CP)


6mm - 12mm



Supports / Anchors / Joints
use 3/4 bars



45° wall bar anchor



Bar support - glass




Bar -wall anchor



Multi-angle elbow



T for 19 mm tube reinforcement




19 mm tube union



3/4 bright tube (6 meters)




Bar support - blind glass



Magnetic Weatherstrips (Sold as a pair)

Magnetic weatherstrip glass - glass 90°




8 mm

L-2909-8X2130

10 mm

L-2909-10X2130

Magnetic glass-glass weatherstrip 180°




8 mm

L-2909-8X2130

10 mm

L-2909-10X2130

Magnetic glass-glass weatherstrip 180°




8 mm

L-2907-8X2130

10 mm

L-2907-10X2130

Magnetic glass-glass weatherstrip 135°




8 mm

L-2908-8X2130

10 mm

L-2908-10X2130

Glass-glass weatherstrip 180°



TRANSPARENT / BLACK FINISH


8 mm

L-2900-8X2130

10 mm

L-2900-10X2130

Glass-glass weatherstrip 90°




8 mm

L-2903-8X2130

10 mm

L-2903-10X2130

Glass-glass weatherstrip 180°




8 mm

L-2915-8X2130

10 mm

L-2915-10X2130

Glass, floor or wall weatherstrip



8 mm


L-2913-8X2130

10 mm

L-2913-10X2130


Vinyl weatherstripping

available in 7-foot lengths
(2.13 meters)



8mm - 10mm

Glass, floor or wall weatherstrip




8 mm

L-2904-8X2130

10 mm

L-2904-10X2130

Glass weatherstrip - floor / balloon type




8 mm

L-2910-8X2130

10 mm

L-2910-10X2130

Weatherstrip for glass insert



8 mm


L-2917-8X2130

10 mm

L-2917-10X2130

**BRONCE
NIQUELADO**
ALTA CALIDAD
**10 AÑOS
DE GARANTÍA**

Glass joint at 90°.




No drilling into glass **required**

L-272596-CP




System that joins glass panels at 90° and 135° providing high fixation.


- Easy installation to glass with nylon tip screws



Glass clamp for 90° corners.




Glass support to left wall.



No drilling into glass **required**

L-272598L-CP


Right wall glass support.



No drilling into glass **required**

L-2798R-CP


Glass bonding at 135°.




No drilling into glass **required**

L-2797-CP

10MM BUTTON TEMPERED BATHROOM DOOR



SIZE 70 X 199.5 CM
COMPATIBLE WITH ALL BATHROOM HINGES



*SAQUE L-2121




*SINGLE BUTTON




Code
G14.1

*Accessories not included, sold separately.

10MM TEMPERED BATHROOM DOOR WITH TOWEL RAIL



SIZE 70 X 199.5 CM
COMPATIBLE WITH ALL BATHROOM HINGES



*SAQUE L-2121




*TOALLERO L-2820




Code
G14.2

*Accessories not included, sold separately.

TEMPERED BATHROOM DOOR 10 MM HANDLE



SIZE 70 X 199.5 CM
COMPATIBLE WITH ALL BATHROOM HINGES



*SAQUE L-2121




*TIRADOR L-2846




Code
G14.3

*Accessories not included, sold separately.

10MM BUTTON TEMPERED BATHROOM DOOR



SIZE 60 X 199.5 CM
COMPATIBLE WITH ALL BATHROOM HINGES



*SAQUE L-2121




*SINGLE BUTTON




Code
G14.4

*Accessories not included, sold separately.

10MM BUTTON TEMPERED BATHROOM DOOR



SIZE 70 X 179.5 CM
COMPATIBLE WITH ALL BATHROOM HINGES



*SAQUE L-2121




*SINGLE BUTTON




Code
G14.5

*Accessories not included, sold separately.

10MM TEMPERED BATHROOM DOOR WITH TOWEL RAIL



SIZE 70 X 179.5 CM
COMPATIBLE WITH ALL BATHROOM HINGES



*SAQUE L-2121



*TOALLERO L-2820



Code
G14.6

*Accessories not included, sold separately.

Kefren

Bathroom doors

Aqua shower doors





INCLUDES GLASS,
PROFILES AND
HARDWARE

Ready to install!



Sliding bathroom doors

Very easy to install!

Code	Available measures		
	Finish	Broad	Height
Aqua1200	FINISH BRIGHT	1200 mm	1800 mm
Aqua1200-Black	FINISH BLACK		
Aqua1350	FINISH BRIGHT	1350 mm	
Aqua1350-Black	FINISH BLACK		
Aqua1500	FINISH BRIGHT	1500 mm	
Aqua1500-Black	FINISH BLACK		
Aqua1650	FINISH BRIGHT	1650 mm	
Aqua1800	FINISH BRIGHT	1800 mm	

Note: We can bring any size kit not in stock to your project. Ask for special order discounts for quantities over 50 kits.

Aqua photo black finish



Accessories



With the measurements we have available, you can install doors in any space between 1.05m and 1.80m.



**GLASS NOT INCLUDED
(SOLO PERFILES Y
HARDWARE**




Very easy to install!

Code	Available measures	
	Broad	Standard Height
Aqua90degree	1500 x 1500 mm	1850 mm

Note: We can bring any size that is not in stock to your project.

Ask about extra discounts for quantities over 50 kits for special orders.

Glass preparation plans



Accessories



With the measurements we have, you can install doors in all spaces that are between 1.05m and 1.50m.



Kefren

Bathroom doors

Eolo bathroom doors



Kefren

Bathroom doors


Eolo bathroom doors



Eolo shower system is a 100% modular system of Italian design for all possible shower door sizes, at 180° and 90° angles in symmetrical or asymmetrical corners. With only six door sizes and eight fixed panels, you can install all existing project sizes. Everything is available in stock (hardware, tubing, and 10mm tempered glass) and is sold individually. This system is economical and practical for large projects with multiple sizes. For your convenience during quoting, Eolo shower system has a quick size selection table, which provides complete information centimeter by centimeter on which door code and which fixed panel should be used based on your particular size.

according to your particular measure.

EOLO 180° STANDARD HARDWARE KIT. 304 STAINLESS STEEL. SATIN AND GLOSSY.



Code	Finish
L-S003-SSS	Satin
L-S003-PSS	Bright

*The hardware kit comes protected and packed in a box

Rectangular tubes 30 x 10 mm. 304 stainless steel



*We have the tube in 2 different sizes to optimize costs in your projects

Code	Finish	Length 2
TREC30X10S2mt	Satin	2 meters
TREC30X10B2mt	Bright	2 meters
TREC30X10S3mt	Satin	3 meters
TREC30X10B3mt	Bright	3 meters

ELBOWS FOR MAKING DOORS AT 90°



When you require 90° or L-shaped doors, purchase 1 elbow and 2 EOLO hardware kits.

Code	Finish
L-002-3-1-SSS	Satin
L-002-3-1-PSS	Bright


SOLID PLATE FOR 90° AEOLUS




*When installing 90 degree windshields use this solid plate to prevent bowing from the weight

Code	Finish	Length
PLATINA 30X10-SS-2mt	Satin	2 meters
PLATINA 30X10-PS-2mt	Bright	2 meters

CHANNEL PARA SISTEMA EOLO (OPCIONAL)



10mm





Code	Finish
Channel 10X2490-BN	Satin
Channel 10X2490-CP	Bright

CONNECTOR FOR FIXED PANEL AND EOLO TUBE




Drill a 12mm hole in the glass





Code	Finish
SA-567-PSS	Bright
SA-567-SSS	Satin

MAGNET OUTLETS FOR 90° EOLO



Code
L-2909-10X2130

* For 10 mm glass
* Length of 2,130 mm




Code	Finish
S33	Satin
S32	Bright

*For 6 to 10 mm glass, it works with studs and does not require removing the glass.

Below you will find the glass we keep in stock. You can select the glass required for your specific size using the Eolo system's quick-fix table, which you can find later in this catalog.

The glass features a perfect finish, PVC-protected corners, highly resistant packaging, and code markings and measurements on the exterior for your convenience.

Tempered doors for the EOLO system. Clear 10 mm.




10MM CLEAR TEMPERED GLASS

Code	Width(mm)
GP40	400
GP50	500
GP60	600
GP70	700
GP80	800
GP90	900

*For 400 and 500 mm doors, the distance from the wheels to the side edge changes from 100 mm to 80 mm.

Tempered Fixed Panels for the Eolo System. Clear, 10 mm



10MM CLEAR TEMPERED GLASS

Code	Width (mm)
GF50	500
GF60	600
GF70	700
GF80	800
GF100	1000
GF120	1200
GF140	1400
GF160	1600

*For 500 mm doors the distance from the wheels to the side edge changes from 120 mm to 80 mm

Kefren

Bathroom doors

YLM bathroom doors



Includes 6mm tempered glass, polished aluminum profiles, towel bar handles, hardware and screws, sturdy cardboard packaging, and installation instructions included.



With the measurements we have, you can install doors in all spaces that are between 1.80m and 1.05m.

 FINISH
BRILLIANT (CP)

Sliding bathroom doors

Very easy to install!

Code	Available measures	
	Broad	Standard Height
YLM-JNS-2P	1200 mm	1800 mm
	1350 mm	1800 mm
	1500 mm	1800 mm
	1650 mm	1800 mm
	1800 mm	1800 mm

Note: We can demonstrate any size not in stock for your project.

Ask about extra discounts for quantities over 50 kits for special orders.

